

Aegis Copper & Fabrication LLC
 210 Old Airport Rd
 Fletcher, NC 28732
 Ph: 800-326-5355 / Fax: 800-325-5355
 www.aegiscopper.com / www.decoroof.com


Features & Benefits:

- ◆ **Self-Supporting**– No sub-framing or decking required
- ◆ **Recommended**– By leading window and door manufacturers
- ◆ **Weatherproof**– Strong enough to handle the fiercest elements
- ◆ **Installation**– Time ranges from 20 to 90 minutes, so you save time and money
- ◆ **Complete System**– All materials for weathertight installation provided.
- ◆ **Warranty**– Limited lifetime
- ◆ **Preferred**– By prominent architects and specifiers
- ◆ **Striking Appearance**– Systems are self flashing with no exposed fasteners
- ◆ **No Maintenance**– No costly maintenance required
- ◆ **Best roofing value**– Lifetime costs make copper and finished metal the least expensive roofing system you can buy.
- ◆ **Tech-Support**– Product specialists are available to answer any questions.



Classic: Traditional Styling – featuring a gracefully curved concave rise with proportional heights. Narrow elegantly curved ribs over each panel seam. Simple bolt-together assembly.

- **Roof Pitch:** - Minimum 10/12 pitch, varies with window projection. Custom Heights/Pitches are available – Call For Details



Contempo: Contemporary Styling – featuring a straight roof slope and proportional heights. Bold, narrow ribs over each panel seam. Easy panel-by-panel assembly.

- **Roof Pitch:** - Minimum 10/12 pitch, varies with window projection. Custom Heights/Pitches are available – Call For Details



Contempo 612: Low Profile Contemporary Styling – featuring a straight roof slope and a FIXED 6/12 pitch – excellent for use in height restricted applications, and looks especially good on bow windows. Bold, narrow ribs over each panel seam. Easy panel-by-panel assembly.

- **Roof Pitch:** *FIXED* 6/12, regardless of window projection.



Capri: Lowest Height Profile Contemporary Styling – featuring a straight roof slope originating from front edge of roof, excellent for use in height restricted applications. Wide, flat ribs over each panel seam. Easy panel-by-panel assembly.

- **Roof Pitch:** *FIXED* 6/12, up to a 24" projection.

AVAILABLE METALS AND FINISHES

(Custom Metals or finishes are available. Call for details)

Bright Copper: Premium 16 oz. Western grade copper (99.9% Pure) providing a “New Penny” finish to preserve or let age naturally.

Aged Copper: Premium 16 oz. copper aged to a natural patina (Equal to approximately 20 years of aging) that continues aging for the life of the product. **(May extend lead times for your product order if selected.)**

Gloss White / Black: .032" aluminum with a white / black, high gloss, baked enamel finish.

Primed Aluminum: .032" aluminum primed and ready to paint.

KYNAR 500® / HYLAR 5000® Color Finishes: A premium fluorocarbon coating, produced with KYNAR 500® or HYLAR 5000® resin. Coatings are based on Kynar 500® or Hylar 5000® polyvinylidene fluoride (PVDF2). They are also formulated with highly durable pigments and solvents blended for optimum application properties. **Coatings are specified by leading architects and used by manufacturers of metal curtain wall and other building products as a long-life exterior finish for GALVALUME® and other metals.** The liquid coating is factory applied and oven baked on properly prepared and primed substrates. **Warranty-** The Kynar / Hylar warranty is backed by the strictest production specifications and is one of the strongest in the industry. Details and further information are available upon request.

Galvalume® (Substrate For KYNAR 500® / HYLAR 5000® Finishes): Galvalume® sheet has a corrosive resistant aluminum-zinc alloy applied by a continuous hot dipping process that conforms to ASTM-792 in coating class AZ55. Panel material as specified shall be 29, 26 or 24 gauge Galvalume® as manufactured by Bethlehem Steel Corporation, or equal, conforming to the requirements of ASTM A792 Grade 80 or Grade 50. Minimum yield stress shall be 80,000 ksi for Grade 80 and 50,000 ksi for Grade 50.


The DecoRoof System For MANUFACTURED BAY & BOW Windows, JOBSITE FRAMED BAY Windows

Pricing covers standard models of manufactured BAY & BOW windows & Jobsite Framed Bay Windows within the following parameters:

- A. Projections up to 24"
- B. All angles up to 90°
- C. Jobsite Framed Bays require completion of jobsite order form.
- D. Widths up to 168" (14')
- E. Maximum 7 Panel Bow Window

This pricing table does NOT cover the following:

- *A. Bay or Bow windows with greater than 24" projections
 - *B. Bay or Bow windows wider than 14'
 - *C. Bow windows with mixed-size or non standard window panels
 - D. Jobsite Framed Bow Windows are not available.
- * Items are available, but require special pricing. Please call for quotation.



How to Price the DecoRoof System for BAY & BOW Windows

- 1 If the Bay Window is Jobsite Framed, have your customer complete a DecoRoof order form for Job-Site Framed Bays – including the dimensions as shown on the form. *(See diagram above.)*
- 2 Determine DecoRoof style and finish desired. Refer to Finish pricing key for different materials available.
- 3 Determine if installation is for siding or masonry. Masonry installations for Job-Site Framed bays usually require brick counter flashings. Manufactured bays will usually require a Brick Soffit Kit which includes counter flashings.
- 4 Determine the overall width of the bay. Do not use the rough opening. Note the bay projection – *if it is greater than 24", call for quote.*
- 5 Match width of bay to the corresponding width column on the price table below.
- 6 In the width column, use the appropriate style and Finish pricing.
- 7 Any optional accessories such as Counter Flashings, Overhang Kit, or Soffit Kit are priced separately.

Finishes: Standard Copper is 16oz unless otherwise specified. Standard Painted Metal Finishes available are Kynar Coated Galvalume (Choose from Standard Color Chart), Gloss White / Black Aluminum and Primed Aluminum. Custom Finishes are available, please contact your sales professional for details and pricing.

To Keep your copper looking shiny and new ask about COPPERSHIELD.

STYLE	FINISH	Unit Widths 0 thru 6'-0" (0-72")	Unit Widths 6'-1" thru 8'-0" (73-96")	Unit Widths 8'-1" thru 10'-0" (97-120")	Unit Widths 10'-1" thru 12'-0" (121-144")	Unit Widths 12'-1" thru 14'-0" (145-168")
CLASSIC	Copper	1184	1438	1692	2074	2328
	Painted Metals	1066	1295	1523	1867	2096
CONTEMPO CONTEMPO 6 12	Copper	1042	1266	1490	1826	2050
	Painted Metals	938	1140	1341	1644	1845
CAPRI	Copper	711	863	1016	1245	1397
	Painted Metals	640	777	915	1121	1258
BRICK SOFFIT KIT	Copper	373	463	553	689	779
	Painted Metals	336	417	498	621	702
COUNTER FLASHINGS	Copper	210	258	306	378	426
	Painted Metals	189	233	276	341	384
OVERHANG KIT	Copper	373	463	553	689	779
	Painted Metals	336	417	498	621	702

Brick Soffit Kits: Soffit Kits are designed for use with 4.25" brick and airspace dimension and are primarily used with manufactured bay and bow windows. If your brick and airspace dimension is different, please notify us when ordering. Counter Flashings are included with all Brick Soffit Kit orders.

Overhang Kits: These kits extend the window perimeter dimensions with a clad overhang, increasing the projection of the window and the unit width. **BAY WINDOW OVERHANG: 3"** , **BOW WINDOW OVERHANG: 2.75"**

Overhang Kits must be ordered in conjunction with a DecoRoof and are not for retrofit use with previously ordered units.

Overhang Kits can also be used to correct inconsistent angles or framing on Bay windows.

THE CANOPY

For Doors, Windows, and Entryways

This pricing table will cover all Canopies that fall within the following parameters:

- A. Widths up to 168" (14').
- B. Standard 90 degree angle.
- C. Standard 24" projection.

This pricing table does NOT cover the following:

- A. Widths over 168" (14') - (Available – call for quote).
- B. Angles other than 90 degrees - (Available – call for quote).
- C. Projections other than 24" - (Available – call for quote).

How to price the DecoRoof Canopy

- 1 Determine DecoRoof style and material/finish desired for the Canopy. Refer to metal pricing key for different materials available.
- 2 Determine if installation is for siding or masonry. Masonry installations may require counter flashings (see pricing in table below).
- 3 Determine overall width of Canopy unit as measured at the wall. Allow for any sidelights, shutters, or trim to be covered by canopy.
- 4 Match required width to the corresponding width column on pricing table, use appropriate style and finish pricing.

Finishes: Standard Copper is 16oz unless otherwise specified. Standard Painted Metal Finishes available are Kynar Coated Galvalume (Choose from Standard Color Chart), Gloss White / Black Aluminum and Primed Aluminum. Custom Finishes are available, please contact your sales professional for details and pricing.

STYLE	FINISH	Unit Widths 0 thru 6'-0" (0-72")	Unit Widths 6'-1" thru 8'-0" (73-96")	Unit Widths 8'-1" thru 10'-0" (97-120")	Unit Widths 10'-1" thru 12'-0" (121-144")	Unit Widths 12'-1" thru 14'-0" (145-168")
CLASSIC	Copper	1674	1984	2294	2732	3042
	Painted Metals	1556	1841	2125	2525	2810
CONTEMPO CONTEMPO 612	Copper	1532	1812	2092	2484	2764
	Painted Metals	1428	1686	1943	2302	2559
COUNTER FLASHINGS	Copper	210	258	306	378	426
	Painted Metals	189	233	276	341	384

ORDER FORM: Canopy for Patio Doors & Entryways

Qty: _____ Quote Purchase, PO#: _____
(All units must be identical.) (Include this form with PO)

CANOPY STYLE: Classic Contempo Contempo 612

SIZE: Width at Wall: _____ (Ft / Inches) **HEIGHT RESTRICTIONS? (May incur additional charges)**
(Include trim / sidelights) (Minimum width 54") No Yes Explain: _____

FINISH (Choose One):
 Bright Copper Primed (Alum.) White (Alum.) Black (Alum.)
 Aged Copper (Patina) Bright Brass (Alum.) Kynar 500® Finish **Color:** _____

Customer Name: _____ Dealer Name: _____

Customer Phone#: _____ Contact: _____

Customer Signature: _____ Phone#: _____ Fax# _____



4



ORDER FORM: DecoRoof System For Bay or Bow Windows

Qty: _____
(All units must be identical.)

Quote

Purchase, PO#: _____
(Include this form with PO)

DECOROOF STYLE (Choose One)



FINISH (Choose One)

Bright Copper

Primed (Alum.)

White (Alum.)

Black (Alum.)

Aged Copper (Patina)

Special: _____

Kynar Galvalume **Color:** _____

FINISH OPTIONS (May not apply to all finish choices):

Factory Applied **Copper Shield** (Maintains "New Penny" Finish up to 10-12 years. For "Bright Copper" Roofs Only)
Added charges and lead times will apply, please call for details.

EXTERIOR CONDITION (Choose One)

Siding

Stucco

Brick (Manufactured Bays / Bows Will Require a Brick Soffit Kit)
(Jobsite Framed Bays Will Require Counter Flashings)

HEIGHT RESTRICTION ABOVE WINDOW? (Special Heights may incur additional charges)

No Yes If "YES," Explain: _____

My Window is a
Manufactured Bay or Bow
(Complete this section only)

Brand Name: _____

Model Number: _____

BAY Angle: _____ **OR** BOW # of Panels: _____

Std Angles: (30, 35, 45, 60, 90)

WINDOW TYPE


- Clad Wood
- Primed Wood
- Vinyl
- Aluminum
- Other: _____

WINDOW ACTION

- Casement
- Double-Hung
- Other: _____

My Window is a **Jobsite Framed Bay**
(Complete this section only)

All measurements should be to the nearest 1/16" and must be taken from the sheathing or the face of the brick to the outermost edge of the bay, including any trim, siding or brick applied to the bay perimeter.



MEASURED FROM: Sheathing Face of Brick

_____ **Left Flanker** **Right Flanker** _____

_____ **Angle** **Projection** _____

_____ **Point To Point** **Unit Width** _____

Customer Name: _____

Dealer Name: _____

Customer Phone#: _____

Contact: _____

Customer Signature: _____

Phone#: _____ Fax# _____